

The Owner's Guide to Piano Repair




Focus On: Vertical Piano Regulation

Information provided courtesy of:

Blees Piano Service
Willem "Wim" Blees, RPT
94 505 Kealakaa Street
Mililani, HI 96289
808 349-2943

tnrwim@aol.com
www.bleespiano.com

The proper touch on your piano depends on it being regulated. To many pianists, a piano's touch is as important as its tone. Touch refers to the efficiency and responsiveness of the mechanical action of the piano, and is what is responsible for giving a piano its full range of power from the silkiest of pianissimos to a crashing double forte. When a piano begins to lose its mechanical efficiency, it is said to have gone out of regulation. Exacting measurements and corresponding adjustments are needed to put a piano back into regulation. **The adjustments of your piano action related to touch have not been attended to recently and are causing the piano to be less than responsive. A job of regulation is in order.**



The following commonly asked questions have been answered to give you the information you need in order to decide whether or not to have me regulate your piano:

What exactly would cause a piano to go out of regulation? Weren't necessary adjustments set at the factory?

To a greater or lesser degree your piano would have been regulated at the factory where it was built. Fine quality instruments obviously receive more attention than models on the low end of the price spectrum, and as such have a better touch from the beginning, but even the finest quality piano will go out of regulation over time. To understand the complexity of the vertical piano action and the primary cause of an action going out of regulation, consider the cut-away photo of the action from an actual piano on the next page.

Could I have a description in detail of how one particular regulation adjustment is made?

In leveling natural keys, one of several measurement tools will be used to ascertain the exact height of each key. Pictured is the Jaras Multi-Functional Device being used to measure the amount of height which needs to be added to each key to bring it up to level. Other tools which might be used to complete this job would be a straightedge, or Davis Key Leveler (photo on cover)



Once the measurement has been made for the key, leveling papers are added at the balance rail to bring the height of the key up to level. Papers as thin as .001" are used to produce a perfectly level set of keys. After all the keys have been leveled, the leveling papers and the balance rail felts will be flipped so that the felts are on top.

What other adjustments will be made?

In addition to leveling the keys, a minimum job of regulation will include setting the hammer blow, taking up the lost motion, adjusting the hammer letoff, setting the key dip, and checking the amount of aftertouch.

How extensive of a job is it to regulate a piano?

The good news is that the work is done primarily on-site. The action may need to be taken to the shop beforehand for related repair work, but the actual job of regulation is done at the piano. The work is extensive in the sense that every adjustment needs to be made for every note on the piano. Additionally, many times a second pass through is necessary because of the fact that the adjustments are inter-related and affect one another. Also, be advised that the longer it has been since the piano was previously regulated, the more time will be required.

Are there ways to tell if a piano is out of regulation without precise measurements that only a technician can perform?

Certainly. One of the easiest symptoms to spot are keys that are no longer level. Get down on eye level with the white keys, and look to see if the keys are perfectly even from one side to the other. You can also use a lightweight straight-edge to check the level of the keys. Place it edgewise along the white keys and see if daylight shows between any of the keys and the bottom of the straightedge.

A second, easy-to-spot symptom of an action which is poorly regulated are hammers which are letting off too early. Lift the lid of your piano, and check to see how close the hammers come to the strings before being let off. To do this, push very slowly on a key while watching the hammer approach the strings. When a piano is well regulated, the hammer will come close to the strings before being tripped. If the release is occurring much more than 1/8" away from the strings, the piano's letoff is in need of adjustment.



When these two specific adjustments are incorrect, it is part of a larger picture of a piano action which needs attention.

How often does a piano need to be regulated?


For most pianos, a regulation every 5 - 10 years should be adequate. Since a piano goes out of regulation as a result of the amount of play, a piano which is used on a more regular basis will need to be regulated more often than one that sits idle for long periods at a time.

If other repairs are needed, is there a logical order in which to do them?

Yes. If new keytops are to be installed, or if hammers are to be filed or replaced, regulation of the action should wait until those repairs are completed to avoid having to repeat making the same adjustments.

If an overhaul of the piano is in the works, on the other hand, this is the ideal time to regulate the piano. It will put the finishing touch on all the other repair work done on the piano to bring it up to its potential.

With any needed repair work to your piano action accomplished and the regulation of the action done to perfection, your piano will be more responsive and fun to play than it has been in a long time.



Capstans are adjusted to take up lost motion.

"In business to bring your piano to its full potential."

Please advise me when you wish to have this repair professionally done.

**Blees Piano Service
Willem "Wim" Blees, RPT
94 505 Kealakaa Street
Mililani, HI 96289
808 349-2943
tnrwim@aol.com
www.bleespiano.com**